

Date: Tue, 22 Mar 94 04:30:25 PST  
From: Ham-Equip Mailing List and Newsgroup <ham-equip@ucsd.edu>  
Errors-To: Ham-Equip-Errors@UCSD.Edu  
Reply-To: Ham-Equip@UCSD.Edu  
Precedence: Bulk  
Subject: Ham-Equip Digest V94 #74  
To: Ham-Equip

Ham-Equip Digest                   Tue, 22 Mar 94                   Volume 94 : Issue 74

Today's Topics:

    2m HT recomendations ?  
        HTX-202  
    Kenwood AT-250 and TS-440S - Question  
    looking for a suggestion: ICOM 765 or ?  
        Strange Amplifier Interaction  
        Yaesu FT840

Send Replies or notes for publication to: <Ham-Equip@UCSD.Edu>  
Send subscription requests to: <Ham-Equip-REQUEST@UCSD.Edu>  
Problems you can't solve otherwise to brian@ucsd.edu.

Archives of past issues of the Ham-Equip Digest are available  
(by FTP only) from UCSD.Edu in directory "mailarchives/ham-equip".

We trust that readers are intelligent enough to realize that all text  
herein consists of personal comments and does not represent the official  
policies or positions of any party. Your mileage may vary. So there.

---

Date: 22 Mar 94 05:22:17 GMT  
From: sdd.hp.com!col.hp.com!csn!joelf@hplabs.hp.com  
Subject: 2m HT recomendations ?  
To: ham-equip@ucsd.edu

Harland MacKenzie (harland@sabre.mech.ubc.ca) wrote:  
(Stuff deleted)

: I am looking at models from Kenwood, Yeasu, and I-COM. I am  
: leaning toward the Kenwood TH-28A. I am also looking at the  
: Yeasu F-11R and 411 as well as a few models from I-COM.  
(More stuff deleted)

I have a Kenwood TH-27A and a friend with the TH-28A. I am very happy  
with the "features" on either radio. On the other hand, the biggest  
problem I find in our area (Denver, CO) is that the TH-28A seems to have  
way too wide a front end in the high intermod areas. When I get downtown

with my TH-27A, I fight intermod, the TH-28A and my wifes TH-78A (dual band) get almost intolerable. This will be a problem with almost any hand held. The new Kenwood models are supposed to be better on power than the TH-28A but I have not had the chance to try one.

73 -- Joel  
KG0IL

-----  
  
Date: Sun, 20 Mar 94 20:19:17 PST  
From: ihnp4.ucsd.edu!pacbell.com!sgiblab!swrinde!emory!europa.eng.gtefsd.com!  
library.ucla.edu!news.mic.ucla.edu!unixg.ubc.ca!nntp.cs.ubc.ca!mala.bc.ca!oneb!  
ham!emd@network.ucsd.edu  
Subject: HTX-202  
To: ham-equip@ucsd.edu

I'm considering the purchase of the Radio Shack handheld as a spare handheld, especially since they're on sale 'til the end of the month for \$259 Can.

Can anyone tell me if other, larger batteries will also fit on the RS radio? It doesn't look like much capacity to me...

Thanks, Bob.

Robert Smits                                  There is \*no\* idiotproof filter.  
VE7EMD                                        Idiots are proof against anything!  
Ladysmith B.C.                                - Richard Chycoski, VE7CVS  
e-mail: emd@ham.almanac.bc.ca

-----  
  
Date: Mon, 21 Mar 1994 08:23:15 MST  
From: agate!usenet.ins.cwru.edu!eff!news.kei.com!news.byu.edu!cwis.isu.edu!  
mica.inel.gov!pc-ojg.inel.gov!ojg@ames.arpa  
Subject: Kenwood AT-250 and TS-440S - Question  
To: ham-equip@ucsd.edu

I have recently acquired a Kenwood AT-250 and I already had a TS-440S. In the manual for the 440S, it lists the AT-250 as optional equipment. I got the manual for the AT-250, but it does not address how to interface it to the 440S. Anyone know how???

Please help! the AT-250 works (tried it out on a 430.)

Thanks!

Jay - WA4VRV

For all email, write to:

ojg@tis.inel.gov or GREENBJC@inel.gov

73's

---

Date: 21 Mar 1994 17:03:40 -0600  
From: ihnp4.ucsd.edu!library.ucla.edu!europa.eng.gtefsd.com!  
howland.reston.ans.net!wupost!cs.utexas.edu!geraldo.cc.utexas.edu!  
doc.cc.utexas.edu!not-for-mail@network.ucsd.edu  
Subject: looking for a suggestion: ICOM 765 or ?  
To: ham-equip@ucsd.edu

In article <Cn0u39 LCD@hpqmoea.sqf.hp.com>,  
David Stockton <dstock@hpqmoca.sqf.hp.com> wrote:  
>Rob Lingelbach (rob@xyzoom.info.com) wrote:  
>: I have a Kenwood TS440SAT, and I haven't been that happy with the  
>: receiver performance. I am doing a lot more listening these days than  
>: talking, so would like something with good filter options and bandpass  
>: tuning, and just a better receiver in general. I was told by someone  
>: that the IC 765 transceiver is outstanding in receiver performance; I  
>: am not familiar with it, except that the local hamradio store doesn't  
>: sell them any more. I was also told that the IC728 has a good  
>: receiver but not as good as the 765.  
>.  
>  
>: Can anyone suggest a transceiver under 1500\$ that would fill the bill?  
>  
>: Thanks

Rob..I am going to have to suggest the TS-850..without antenna tuner.  
That should be about 1500.00  
There is just no radio that stacks up to it at that exact price range.

And has anyone but me had problems with those noisy-high distortion  
Audio output amps in the ICOM xcvrs? My hearing is real good in the  
upper freqs.(ie 16K) and the odd harmonic distortion in that range gives  
me real bad listiner fatigue in short order. The IC-751a series is  
real bad about it..

73 Bob AA5PB

-----  
Date: 21 Mar 1994 22:02:02 -0500  
From: ihnp4.ucsd.edu!dog.ee.lbl.gov!agate!library.ucla.edu!europa.eng.gtefsd.com!  
howland.reston.ans.net!news.ans.net!hp81.prod.aol.net!search01.news.aol.com!not-  
for-mail@network.ucsd.edu  
Subject: Strange Amplifier Interaction  
To: ham-equip@ucsd.edu

I wonder how well the vertical is grounded. Even better yet, is it roof mounted?

Since the TL922 uses a standard PI output network (the tune and load caps are in shunt), it could be that the grounding path is --> along outside of coax, to amp, thru tune/load cap, then to chassis ground and finally earth.

The frequency selective effect would kinda hint that the transmission line is a part of the return circuit.

If the vertical is BONDED to earth....then ignore me completely, I don't know what I'm talking about ;-)

scott nx7u@aol.com

-----  
Date: Tue, 22 Mar 1994 02:02:22 GMT  
From: ihnp4.ucsd.edu!dog.ee.lbl.gov!agate!howland.reston.ans.net!math.ohio-state.edu!magnus.acs.ohio-state.edu!csn!col.hp.com!srgenprp!news.dtc.hp.com!hplextra!rigel!pooley@network.ucsd.edu  
Subject: Yaesu FT840  
To: ham-equip@ucsd.edu

Does anyone have any opinions/experience with this radio? I would very much appreciate any info. It sounds too good to be true to me...

thanks,

Chuck

-----  
Date: 21 Mar 1994 23:15:13 GMT  
From: news.cerf.net!pravda.sdsc.edu!nic-nac.CSU.net!charnel.net.csuchico.edu!  
charnel!yeshua.marcam.com!news.kei.com!eff!news.umbc.edu!europa.eng.gtefsd.com!  
howland.reston.ans.@@ihnp4.ucsd.edu  
To: ham-equip@ucsd.edu

References <2m58sq\$12hg@watnews1.watson.ibm.com>, <2mfkd6\$8p4@apple.com>, <19MAR94.18754189.0121@UNBVM1.CSD.UNB.CA>on.a  
Subject : Re: FT-990 vs TS-850

NADO000 (NADO@UNB.CA) wrote:

Referring to the choice between a Yaesu FT990 and a Kenwood TS850:

: A friend has both the Yeasu 757 and a Kenwood 440AT and he confirms  
: the same findings. The Yeasu is more pleasant to listen to and most  
: of us do a lot more listening than talking. My next rig is likely to  
: be a Yeasu.

This seems to be a popular pair of radios. There've been several postings over the last months asking for comparisons between these rigs. I've also narrowed my choices down to these two if (when?) I ever replace my Drake rigs. One thing that almost never seems to get mentioned however...

How do these rigs sound on the air! At the risk of starting a flame war, I'll venture the opinion that, in general, I find Kenwoods putting out among the best sounding signals on the air. I've got to admit that I enjoy hearing the reports of superior audio quality that my Drakes seem to get on sideband, and I'd hate to give that up. I like putting out a good pleasing signal! If it weren't for that factor, I'd probably lean towards the Yaesu. As it is, I'm not sure.

Any thoughts or comments on the transmitting audio qualities of the major brands on sideband, particularly these two radios?

Scott Turner N0VRF scott@hpisla.LVLD.HP.COM

-----  
End of Ham-Equip Digest V94 #74  
\*\*\*\*\*